FRESNO COUNTY INCENTIVE PROJECT

Eligible Equipment List





The Fresno County Incentive Project (FCIP) is a project funded by the California Energy Commission and implemented by the Center for Sustainable Energy (CSE) to promote access to electric vehicle (EV) charging infrastructure. Rebates of up to \$4,000 for single port EV chargers and up to \$7,000 for dual port EV chargers are available for the installation of Level 2 EV chargers at eligible sites in Fresno County.

Disclaimer: The Center for Sustainable Energy and the California Energy Commission are not endorsing the EV charger companies or chargers in this document. The EV chargers listed below meet the minimum eligibility requirements for CALeVIP and have been submitted by their manufacturer for eligibility listing. Charger stock availability is based on each respective company and is not guaranteed by CALeVIP.

To be eligible for FCIP, the EV charger(s) must meet the following requirements

- De new equipment installing for the first time, installing on a wall or pedestal mounting at the corresponding site address. Resale units, rebuilt, rented, received from warranty insurance claims, won as a prize or new parts installed in existing units do not qualify.
- > Utilize the SAE J1772 charging connector.
- > Be networked, which is defined as a charger connected to a back-end network operations center.
- **>** Be capable of delivering electricity to a plug-in electric vehicle at a minimum rate of 6.2 kilowatts (kW).

- Have 1-10 connectors per site. A maximum of 10 connectors per site location can be rebated.
- Use an open standard protocol as a basic framework for purposes of network interoperability.
- ▶ Be ENERGY STAR® certified.
- > Be approved by a Nationally Recognized Testing Laboratory (NRTL) program for EVSE testing and certification.

All equipment descriptions are provided by the manufacturers.



IQ 200



Super fast, networked Level 2 charging station. Capable of being installed on 40 amps to 100 amps, with 80 percent output at the plug.



POWER OUTPUT: 7.7 kW up to 19.2 kW



NUMBER OF CONNECTORS: 1



CONTACT:

Ted Manser tmanser@blinkcharging.com (305) 521-0200



PRODUCT PAGE:

https://www.blinkcharging.com





BTCPower 30A AC Level 2 Single



BTCPower's AC Level 2 EVSE are available in 30A, 40A or 70A versions. They are offered as wall or pedestal mount and can be paired with optional cord retractor. 30A and 40A EVSE are offered as single and double cord variants.



POWER OUTPUT: 7.2 kW



NUMBER OF CONNECTORS: 1



CONTACT:

BTCPower Sales sales@btcpower.com (714) 259-4888



PRODUCT PAGE:

http://www.btcpower.com/index.php?action=30-40A-Pedestal

BTCPower 30A AC Level 2 Dual



BTCPower's AC Level 2 EVSE are available in 30A, 40A or 70A versions. They are offered as wall or pedestal mount and can be paired with optional cord retractor. 30A and 40A EVSE are offered as single and double cord variants.



POWER OUTPUT: 7.2 kW



NUMBER OF CONNECTORS: 2



CONTACT:

BTCPower Sales sales@btcpower.com (714) 259-4888



PRODUCT PAGE:

http://www.btcpower.com/index.php?action=30-40A-Pedestal





BTCPower 40A AC Level 2 Single



BTCPower's AC Level 2 EVSE are available in 30A, 40A or 70A versions. They are offered as wall or pedestal mount and can be paired with optional cord retractor. 30A and 40A EVSE are offered as single and double cord variants.



POWER OUTPUT: 9.6 kW



NUMBER OF CONNECTORS: 1



CONTACT:

BTCPower Sales sales@btcpower.com (714) 259-4888



PRODUCT PAGE:

http://www.btcpower.com/index.php?action=30-40A-Pedestal

BTCPower 40A AC Level 2 Dual



BTCPower's AC Level 2 EVSE are available in 30A, 40A or 70A versions. They are offered as wall or pedestal mount and can be paired with optional cord retractor. 30A and 40A EVSE are offered as single and double cord variants.



POWER OUTPUT: 9.6 kW



NUMBER OF CONNECTORS: 2



CONTACT:

BTCPower Sales sales@btcpower.com (714) 259-4888



PRODUCT PAGE:

http://www.btcpower.com/index.php?action=30-40A-Pedestal





BTCPower 70A AC Level 2 Single



BTCPower's AC Level 2 EVSE are available in 30A, 40A or 70A versions. They are offered as wall or pedestal mount and can be paired with optional cord retractor.



POWER OUTPUT: 16.8 kW



NUMBER OF CONNECTORS: 1



CONTACT:

BTCPower Sales sales@btcpower.com (714) 259-4888



PRODUCT PAGE:

http://www.btcpower.com/index.php?action70A-single





CPF50 Single and CPF50 Dual



Our Level 2 CPF50 charging station is specifically designed for use in fleet depot applications. Available as a single-or dual-port station, in pedestal or wall mount and with 18- and 23-foot cable length options, the CPF50's flexible configurations are sure to match your fleet's electric fueling needs.



POWER OUTPUT: 12 kW



NUMBER OF CONNECTORS: 1 or 2



CONTACT:

Doug Sampson douglas.sampson@chargepoint.com (669) 237-3234



PRODUCT PAGE:

https://www.chargepoint.com/files/datasheets/ds-cpf50.pdf



-chargepoin+

CT4011 and CT4013



Our CT4000 family of Level 2 chargers provide the right fit for businesses, municipalities and property owners that want to offer EV charging to their employees, customers, residents and fleets.



POWER OUTPUT: 7.2 kW



NUMBER OF CONNECTORS: 1



CONTACT:

Doug Sampson douglas.sampson@chargepoint.com (669) 237-3234



PRODUCT PAGE:

https://www.chargepoint.com/products/commercial/ct4000/

CT4021 and CT4023



Our CT4000 family of Level 2 chargers provide the right fit for businesses, municipalities and property owners that want to offer EV charging to their employees, customers, residents and fleets.



POWER OUTPUT: 7.2 kW



NUMBER OF CONNECTORS: 2



CONTACT:

Doug Sampson douglas.sampson@chargepoint.com (669) 237-3234



PRODUCT PAGE:

https://www.chargepoint.com/products/commercial/ct4000/





CT4025 and CT4027



Our CT4000 family of Level 2 chargers provide the right fit for businesses, municipalities and property owners that want to offer EV charging to their employees, customers, residents and fleets.



POWER OUTPUT: 7.2 kW



NUMBER OF CONNECTORS: 2



CONTACT:

Doug Sampson douglas.sampson@chargepoint.com (669) 237-3234



PRODUCT PAGE:

https://www.chargepoint.com/products/commercial/ct4000/





Pro 32 V2.01 (2020 Version)



WiFi-enabled 32-Amp (7.7 kW) EV Charging Station (Level 2 EVSE) with 24-foot cable, integration options to on-site energy systems, optional multiuser authentication and reporting, LED indicator lights, UL Listed, and 3 Year Warranty.



POWER OUTPUT: 7.7 kW



NUMBER OF CONNECTORS: 1



CONTACT:

(844) 584-2329, ext. 4



PRODUCT PAGE:

https://evcharging.enelx.com/store/commercial/juicebox-pro-32-commercial

Juicebox 40 V2.01 (2020 Version)



Residential use WiFi-enabled 40-Amp (10 kW) EV charger (Level 2 EVSE) with 24-foot cable, integration options to on-site energy systems, optional multi-user authentication and reporting, LED indicator lights, UL Listed, and 3 Year Warranty.



POWER OUTPUT: 10 kW



NUMBER OF CONNECTORS: 1



CONTACT:

(844) 584-2329, ext. 4



PRODUCT PAGE:

https://evcharging.enelx.com/store/residential/juicebox-40





Pro 40 V2.01 (2020 Version)



Commercial use WiFi-enabled, 40-amp (10 kW) EV charging station (Level 2 EVSE) with 24-foot cable, integration options to on-site energy systems, optional multiuser authentication and reporting, LED indicator lights, UL-listed and 3-year warranty.



POWER OUTPUT: 10 kW



NUMBER OF CONNECTORS: 1



CONTACT:

(844) 584-2329, ext. 4



PRODUCT PAGE:

https://evcharging.enelx.com/store/commercial/juicebox-pro-40

Pro 48 V2.01 (2020 Version)



This Level 2 charging station can provide up to 11.5 kW of power and will automatically adjust output to meet a charging vehicle's maximum acceptance rate. JuiceBox includes all the safety and smart charging features necessary to provide convenient, high-power EV charging for your business, workplace, apartment building, or fleet. Powered by the JuiceNet® smart EV charging platform, JuiceBox offers access control and energy optimization.



POWER OUTPUT: 11.5 kW



NUMBER OF CONNECTORS: 1



CONTACT:

(844) 584-2329, ext. 4



PRODUCT PAGE:

https://evcharging.enelx.com/store/residential/juicebox-48





Businessline Single



EVBox BusinessLine offers smart, reliable and customizable open network EV charging solutions to companies across the globe. With BusinessLine, you have the freedom to choose exactly how drivers use your stations, while always ensuring the most efficient use of your energy.









https://www.evbox.us/commercial/meet-businessline/

Businessline Double



EVBox BusinessLine offers smart, reliable and customizable open network EV charging solutions to companies across the globe. With BusinessLine, you have the freedom to choose exactly how drivers use your stations, while always ensuring the most efficient use of your energy.







PRODUCT PAGE:
https://www.evbox.us/commercial/meet-businessline/





EverCharge EV-002



Our EVSE is designed to decrease installation time and materials to continue lowering customer costs in any situation. From multi-family residential to medium duty fleets, let us help you achieve your charging and EV goals using industry leading power management, analytics and administrative controls.



POWER OUTPUT: 19.2 kW



NUMBER OF CONNECTORS: 1



CONTACT:

charging@evercharge.net 888-343-7383



PRODUCT PAGE:

https://evercharge.net/hardware





CoRe+



The CoRe+ stations are smart Level 2 charging stations for private, public and commercial applications. The CoRe+ charging station is specifically designed for private applications such as workplaces, multiunit residential buildings, fleets, and is also suitable for public spaces.



POWER OUTPUT: 7.2 kW



NUMBER OF CONNECTORS: 1 or 2



CONTACT:

Scott Saffian (415) 302-1417 ssaffian@flo.com



PRODUCT PAGE:

https://www.flo.com/business/products/core/

CoRe+ PS



The CoRe+ stations are smart Level 2 charging stations for private, public and commercial applications. The CoRe+ charging station is specifically designed for private applications such as workplaces, multiunit residential buildings, fleets, and is also suitable for public spaces.



POWER OUTPUT: 7.2 kW



NUMBER OF CONNECTORS: 1 or 2



CONTACT:

Scott Saffian (415) 302-1417 ssaffian@flo.com



PRODUCT PAGE:

https://www.flo.com/business/products/core/





Loop EV-Flex



The Loop EV-Flex wall or pedestal mount Level 2 charging station is the ideal charging solution for public or private workplace, retail, or multifamily applications. It is designed for cost effective installation, convenient EV charging use and management, and to compliment the aesthetics of any site.



POWER OUTPUT: 7.6 kW



NUMBER OF CONNECTORS: 1



CONTACT:

Support Team 888-EVLOOP1 (888-385-6671) support@evloop.io



PRODUCT PAGE:

https://evloop.app/





PowerPort AC



The Nuvve PowerPort is rated at 80 amps making it the ideal solution for heavy-duty fleets, such as buses and trucks that need 19.2kW of power. The PowerPort is fully controllable through Nuvve's software platform enabling smart charging of any vehicle, or full bidirectional vehicle-to-grid (V2G) capability with compatible vehicles.



POWER OUTPUT: 19.2 kW



NUMBER OF CONNECTORS: 1



CONTACT:

Nuvve Sales (619) 483-3448 evse@nuvve.com



PRODUCT PAGE:

https://nuvve.com/wp-content/uploads/2020/01/nuvve-powerport-spec-sheet-us-ul-energystar-4.2-1.pdf





PowerFlex Webasto TurboDX



PowerFlex TurboDX is a 32A 7.7kW Level-2 EV Charging Station that is modern, compact, and rugged. With over 3,000 units deployed in California and color/logo customization options, the TurboDX is one of our most popular EVSEs. PowerFlex enables adaptive load management, access-control, driver energy billing, Time-of-Use (ToU) rates, fleet management, and many other features.



POWER OUTPUT: 7.7 kW



NUMBER OF CONNECTORS: 1



CONTACT:

Katie Cafouros @powerflex.com





Series 6 Smart EV Charger



- **POWER OUTPUT:** 7.2 kW
- NUMBER OF CONNECTORS: 1 or 2
- PRODUCT PAGE:
 https://www.semaconnect.com/chargingstations/series6/





UP160J



Tellus Power offers low cost, high performance networked electric vehicle charging stations, which support smart charging and offer the fastest first-time driver activation through keypads on the chargers. Tellus Chargers works with EvGateway and other EVSE networks that support the OCPP 1.6 standard. Tellus Dual Port Level 2 Chargers deliver a full 7.2 kW to both vehicles simultaneously.



POWER OUTPUT: 7.2 kW



NUMBER OF CONNECTORS: 2



CONTACT:

Tellus Power Sales sales@telluspowergreen.com (949) 534-3000



PRODUCT PAGE:

http://telluspowergreen.com





Turbo DX



Driver safety is our #1 priority. Turbo DX ensures a safe and reliable charge with leakage and thermal detection, auto-restart and recovery and ground detection against faults. It is UL and cUL listed, safe for indoor or outdoor use, and can withstand extreme weather conditions. TurboDX is backed by a 3-year warranty.



POWER OUTPUT: 7.7 kW



NUMBER OF CONNECTORS: 1



CONTACT:

Charles Botsford charles.botsford@webasto.com



PRODUCT PAGE:

https://store.evsolutions.com/turbodx-evcharging-station-c50.aspx

